Volume 43

1966

Journal of Scientific Instruments

Produced by The Institute of Physics and The Physical Society with the co-operation of the National Physical Laboratory

EDITOR: **A. C. STICKLAND,** M.Sc., Ph.D.
Editor and Deputy Secretary of The Institute of Physics and The Physical Society

The Institute of Physics and The Physical Society
London

THE INSTITUTE OF PHYSICS AND THE PHYSICAL SOCIETY

Officers and Members of the Council, 1966–67

President	Sir James Taylor, M.B.E., D.Sc., F.Inst.P.
Immediate Past President	Sir Gordon Sutherland, Sc.D., LL.D., F.Inst.P., F.R.S.
Vice-Presidents	J. V. Dunworth, C.B.E., M.A., Ph.D., F.Inst.P. D. H. Follett, M.A., Ph.D., F.Inst.P. Professor M. R. Gavin, M.B.E., M.A., D.Sc., F.Inst.P. E. G. Stanford, M.Sc., Ph.D., F.Inst.P.
Honorary Secretary	P. T. Menzies, M.A., F.Inst.P.
Honorary Treasurer	R. Press, C.B.E., M.Sc., Ph.D., F.Inst.P.
Ordinary Members of Council	P. F. Chester, B.Sc., Ph.D. B. R. Coles, B.Sc., D.Phil. A. E. De Barr, B.Sc., F.Inst.P. J. L. Lewis, M.A., F.Inst.P. W. C. Marshall, B.Sc., Ph.D., F.Inst.P. J. W. Menter, M.A., Ph.D., Sc.D., F.Inst.P., F.R.S. Professor J. Rotblat, C.B.E., M.A., D.Sc., F.Inst.P. L. A. A. Thomas, B.Sc., F.Inst.P.
Representing Branches	W. D. Corner, B.Sc., Ph.D., F.Inst.P. J. W. Sharpe, M.A., F.Inst.P.

Permanent Officers

Secretary	L. Cohen, B.Sc., Ph.D., F.Inst.P.
Editor and Deputy Secretary	Miss A. C. Stickland, M.Sc., Ph.D.
Administrative Officers	N. Walter, B.A. (Headquarters) Miss D. G. Mayston (Editorial Office)
Finance Officer	M. J. Blackwood, B.A., A.C.A.
Meetings Officer	L. L. Lawrence
Registrar	R. G. Roberts, B.A.
Education Officer	Miss P. N. Boston, B.Sc., A.Inst.P.
Assistant Editors	Miss H. Carcas, Miss M. A. Charney, B.Sc., S. Donohoe, B.A.

Journal of Scientific Instruments

Editorial Board

H. V. Beck, M.A., F.Inst.P. (*Chairman*)
Professor R. Barer, M.C., M.A., B.Sc., M.B., B.S.
Professor A. R. Boothroyd, B.Sc., Ph.D.
J. Dyson, B.A., Sc.D., F.Inst.P.
T. P. Flanagan, M.Sc., A.Inst.P.
Professor J. D. McGee, O.B.E., M.Sc., Ph.D., F.Inst.P., F.R.S.
T. Mulvey, B.Sc., M.Sc., F.Inst.P.
D. A. Patient, B.Sc., F.Inst.P.
J. R. Stansfield, B.A., M.A., F.Inst.P.
J. McA. Steele, B.Sc.(Eng.)
S. Bradbury, D.Phil. (*Ex-officio*): Joint Editor of the *Journal of Royal Microscopical Society*
J. V. Dunworth, C.B.E., M.A., Ph.D., F.Inst.P. (*Ex-officio*): Chairman of Publications Committee

CONTENTS OF VOLUME 43

PAGE

JANUARY 1966

PAPERS

The design of a velocity selector for long wavelength neutrons . . . . . C. D. Clark, E. W. J. Mitchell, D. W. Palmer and I. H. Wilson 1
A low background ionizer for molecular beam detection. . . . . J. M. Pendlebury and K. F. Smith 6
An assessment of the point–hemisphere discharge gap as a partial discharge reference . . . . . W. K. Hogg and C. A. Walley 11
Superconducting coils using composite stranded cables . . . . . D. N. Cornish 16
In situ measurement of moisture in soil and similar substances by 'fringe' capacitance . . A. M. Thomas 21
An instrument for the measurement of acoustic pulse velocity and attenuation in a solid probe . . . . J. F. W. Bell, B. P. Doyle and B. S. Smith 28
A transistorized radon measuring equipment . . . . . P. B. Roberts and B. L. Davies 32
An isothermal microcalorimeter operated in a water triple point cell and designed for radioactivity measurements . . . . . G. C. Lowenthal and R. M. Hicks 36
A constant stress compressive creep machine . . . . . P. W. Davies and R. Dutton 39
Use of a mercury-in-glass thermometer as a dew-point hygrometer . . . . . L. Thyer 43
Modification of the Philpot–Svensson method of recording refractive index gradients . M. Miler and J. Sequens 46
Absolute recording spectrofluorimeter . . . . . T. D. S. Hamilton 49
A demountable high-power xenon arc lamp . . . . . J. W. Stearn and D. J. Colliver 52

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A sample holder for electron spin resonance studies on x-irradiated fibres . . . . . J. P. Elliott 55
Hall effect *B–H* loop recorder for thin magnetic films . . . . . D. A. Berkowitz and M. A. Schippert 56
Apparatus for measuring polarized absorption spectra of small crystals . . . . . R. G. Burns 58
A profile-multiplying machine for correcting spectrophotometer traces . . . . . J. E. Geake 60
A frequency modulated nuclear resonance search oscillator . . . . . D. T. Edmonds 63
Damping measurements with a maintained torsional pendulum . . J. Perez, P. Peguin and P. Gobin 65
A method of continuously measuring the ratio of two pulse frequencies . . . . . D. Williams 67
An improved design of ball-bearing pivot for precision dimensional measuring machines . . . . . F. R. Tolmon and G. N. Partridge 69
A simple tandem Mössbauer spectrometer using pulse height analysis J. D. Cooper and N. N. Greenwood 71
A stable aluminium electron multiplier . R. A. Bingham 74
An energy test apparatus for spectrometers . . . . . R. A. G. Carrington 75
A simple charge neutralizer for the electron microscope . . . . . D. H. Warrington 77

Book reviews 79
Information: Conferences, lectures and exhibitions . . . 10, 54
Miscellaneous 54

PAGE

FEBRUARY 1966

PAPERS

Some applications of holography in fluid mechanics . . . . . L. H. Tanner 81
A rheometer for measuring the dynamic mechanical properties of soft solids . . . . . G. E. Hibberd, W. J. Wallace and K. A. Wyatt 84
The effect of capillary elevation in hydrometry . . . . . D. C. Williams 88
The variation of the conversion efficiency of an NE 102A plastic scintillator with x-ray energy in the range 1·8–4·5 kev . . J. H. Adlam and J. N. Burcham 93
A high-performance phase-sensitive detector . . . . . E. A. Faulkner and D. W. Harding 97
Resistance comparator for measuring changes in the resistance of wires . . . . . B. Russell 100
A flame ionization meter for gas chromatography . . . . . W. P. Gabriel and R. A. Morris 104
A permanent standard for reflectance spectra over the range 0·3–2·6 μm . . . . . D. E. Winsor 108

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Glass knife making device for ultramicrotomy . . . . . W. L. Wallenstein 110
Destruction of adventitiously produced ozone . . . . . J. Walker 111
A measurement technique for electrolytic tanks incorporating unpolished copper electrodes J. Baturić-Rubčić 112
A simple spectrograph–monochromator converter . . . . . J. W. McConkey and D. J. Burns 114
A mercury piston pump A. J. Davis and G. J. Ogilvie 116
Apparatus for continuous thermal cycling of electronic components . . . . . S. J. Borgars 118
Measurement of ground speed with a radial grating . . . . . A. M. Ferguson 120
Rapid scanning monochromator for use with line reversal temperature measurement . . . . . P. English and M. G. W. Dingle 121
An ultra-low frequency bridge for the measurement of large capacitances and conductances . E. W. Giesekke 123

LETTERS TO THE EDITOR

The application of lasers to time-resolved flow visualization . . . . . L. H. Tanner 125

Book reviews 126
Information: Conferences, lectures and exhibitions . 87, 109, 127
New publications 109

MARCH 1966

PAPERS

A new method for the measurement of distances up to 5000 ft by means of a modulated light beam . . . . . K. D. Froome and R. H. Bradsell 129
A mass spectrometer for the precise assay of the lithium isotopes . . . . H. J. Svec and A. R. Anderson 134

PAGE

Distortion of peak shape in fast scanning of mass spectra . . . . . A. E. BANNER 138

A scanning integrating histophotometer . . . . . P. A. BENEDETTI and M. P. VIOLA-MAGNI 141

The preparation and performance of thin film thermocouples . . R. MARSHALL, L. ATLAS and T. PUTNER 144

A thermomicrobalance for the study of the kinetics of high-temperature corrosion in sulphur-containing atmospheres . . . . . J. E. WHITTLE 150

A dynamic electron image information store . . . . . J. D. MCGEE, J. BEESLEY and A. D. BERG 153

A simple apparatus for measuring the coefficient of sliding friction . . . . . J. GODDARD and B. H. STONE 160

The effect of a series resistor on the measured time constant in a secondary photoconductive cell . . M. E. HAINE 162

A simple d.c. to 10 Mc/s analogue multiplier . . . . . R. R. A. MORTON 165

An improved method for measuring electron diffraction patterns of single crystals and polycrystals . . . . . R. SUMERLING 169

Improved fluorescence spectrophotometry of organic crystals from −170 to +160°C . . . . . .J. B. BIRKS and A. A. KAZZAZ 172

A cell for measurement of the dielectric constant of gases and vapours . . . . . E. G. CLAEYS, J. DE MOOR and G. P. VAN DER KELEN 176

Gas amplification in a proportional counter with carbon dioxide . . . . . A. ZASTAWNY 179

Mechanical thickness monitors and ratemeters for vacuum evaporation . . . . . A. R. BEAVITT 182

An apparatus for the observation of fine structure in current–voltage characteristics of tunnel diodes . . . . . .P. WILLIAMS and M. COON 186

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A selective extraction replica technique for carbides in steels . . . . . N. M. HALL and J. M. CAPUS 190

The use of Dewar vessels as crystallizing baths . . . . . H. T. PARFITT and D. S. ROBERTSON 191

A neutral-density probe . . . . . P. G. STERN 192

A simple sensitive mercury manometer V. B. GERARD 194

A strain gauge transducer for light load measurement . . . . . A. D. FOSTER 195

Anomalous double-peaking effect from a monochromator . . . . . B. TUCK and R. W. G. CLARKE 196

The selection, orientation and mounting of diamonds for use as Bridgman anvils N. B. OWEN and J. E. MARTIN 197

An improved all-glass fluid-feed atomizer . . . . . B. S. MARSHALL 199

Simultaneous analysis of two samples on the same conventional mass spectrometer solid source . . . . . .S. H. CHORLTON 200

A tunnel diode discriminator . . L. PAPADOPOULOS 202

Book reviews 204

Information: Conferences, lectures and exhibitions . . . 207

Miscellaneous 206

Corrigenda: Absolute recording spectrofluorimeter . . . . . T. D. S. HAMILTON 205

'Turned edge' fringes in the Twyman–Green interferometer due to focusing errors . . . . . B. M. WATRASIEWICZ 205

APRIL 1966

PAPERS

A digitization system for a scanning spectrometer. . . . . P. H. HINDLE and R. N. IBBETT 9

Analogue simulation of 'peak smearing' in spectrometers . . . . . B. R. F. KENDALL 5

Liquid scintillators based on medicinal paraffin for use in whole-body counters . . . . . C. F. BARNABY and B. M. JASANI 20

Methods of calculating the pulse height distribution at the output of a scintillation counter . . . . . H. J. GALE and J. A. B. GIBSON 24

The use of a silicon carbide porous plug for the control of gas flow into a vacuum system down to 1 μl torr sec^{-1} . . . . . R. G. CHRISTIAN and J. H. LECK 9

Longitudinal Knudsen forces II . . . . . . J. A. POULIS, C. H. MASSEN and J. M. THOMAS 4

An apparatus for low endurance fatigue studies at elevated temperature for use in an Instron testing machine . . . . . G. SUMNER 8

Interferometric examination of the ruling errors of a concave grating . . . . . K. G. BIRCH 3

A counting system for use with the rubidium magnetometer . S. CIAROCCA, W. F. STUART and M. J. USHER 6

Magnetostrictively induced torsional oscillations . . . . . I. R. SMITH, B. K. GAZEY and J. L. BLACK 1

Minimizing errors in T_2 determinations with spin-echo equipment . . . . . A. F. MEHLKOPF and J. SMIDT 3

Application of hemispherical surface pyrometers to the measurement of the emissivity of platinum (a low-emissivity material) . . . . . P. R. C. GOARD 5

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A method for continuous observation of frequency–capacitance change around resonance and anti-resonance for piezoelectric material . . . . . J. STORRY and J. R. KIRKMAN 2

A simple differential pressure system for measuring depths of cryogenic liquids . . . . . W. L. POPE and E. F. MCLAUGHLIN 2

A method of continuously operating a conductivity water still E. VAN OUTRYVE, G. THIELENS and L. MALFAIT 2

A mercury sealed gas transfer device . J. PRITCHARD 2

The construction of a robust metal vacuum microbalance . E. L. EVANS, J. M. THOMAS and B. R. WILLIAMS 2

A cathode-ray oscilloscope bridge balance display . . . . . W. K. CLOTHIER 2

An improved vacuum shaft seal . . . . . K. H. HURSEY and P. R. STUART 2

A porcelain rod gas-dosing leak for use in ultra-high vacuum systems . . . . . P. J. ASKINS 2

An exposure meter for use with the electron microscope . . . . . C. E. CHALLICE 2

Fixture for the intact recovery of explosively shock loaded specimens . . . . . J. L. KIKER 2

Gain variations in some channel multipliers . . . . . D. G. SMITH 2

A variable temperature, continuous flow Dewar insert for electron spin resonance experiments . . . . . R. L. JAMES and W. C. NEIKAM 2

Use of a marginal oscillator to detect weak piezoelectric effects . . . R. DEWSBERRY and P. WILLIAMS 2

Book reviews 2

Information: Conferences, lectures and exhibitions . . . 2

PAGE

MAY 1966

PAPERS

A continuous filament yarn refractometer for routine laboratory use . . . . . G. A. J. ORCHARD 277
Recorder chart-to-punched card converter and computer programme for isotopic analysis by mass spectrometry . . . . G. E. CASSIE, J. CUTHBERT and C. SILK 283
An improved control system for a vacuum balance . . . . . G. R. HEAL 289
A hot stage microscope incorporating a differential thermal analysis unit . . . . R. P. MILLER and G. SOMMER 293
An automatic recording analyser for the determination of carbon dioxide and sulphur dioxide in corrosion testing atmospheres . . . . . B. H. PRISCOTT 298
Measurement of coefficient of linear expansion with an autocollimator . L. W. NICHOLS and G. V. ANTHONY 303
Liquid metal solution calorimeter II . . . . . A. K. JENA and J. S. LL. LEACH 306
A new automatic method for determining the falling time of drops in the isotopic analysis of water . . . . . M. PAŞCALĂU, L. BLAGA and L. BLAGA 310
A method of producing an unmodulated laser output at a controlled frequency . . . . . .D. C. WILSON and W. R. C. ROWLEY 314
A simple sensitive X-band superheterodyne spectrometer for electron spin resonance measurements . . . . . .C. M. G. ZWARTS and D. V. ORMONT 317

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Technique for preparation of transmission electron microscope specimens from wire samples of Al and Al–Al_2O_3 alloys . . . . . J. LINBO 319
The production of a known high pressure . J. H. KING 320
A method of depositing copper films on reinforced plastics . . . . . N. C. W. JUDD 322
A precision sampling grinder . . . . . L. DE JONGHE, W. VAN LIERDE and R. GEUENS 325
An improved photomechanical technique . . . . . P. B. CLAPHAM 327
The manufacture of a stepped zone-plate G. L. ROGERS 328
A simple vacuum lead through seal . P. A. B. TOOMBS 329
Zeeman modulator for nuclear quadrupole resonance spectroscopy . . . . . B. BUIJS, J. L. DE WILDT, A. J. VEGA and H. W. DE WIJN 330
Electrical contacts on organic single crystals . . . . . M. STEDMAN 332
A simple temperature control system for use between 4·2°K and room temperature . . . . . F. W. D. WOODHAM, J. S. CARLOW and R. E. MEADS 333
Hot-wire smoke streams for visualization of air flow patterns . . . . . .L. I. GABY 334
A versatile electromagnetic balance . . H. E. BLAYDEN 335
The Oxford double acting piston gas motor for use in powered prostheses . . . . . P. J. R. NICHOLS, T. STRANGE and E. POWER 338
A greaseless vacuum valve . . . . . M. A. HOOKER and D. H. T. SPENCER 339
A band pass filter for the 2537 Å mercury line . . . . . C. L. BRAGA and M. D. LUMB 341
Mains operated stable reference voltage source for the Siemens Elmiskop I electron microscope . . . . . V. M. SPIERS and J. SYMONS 342
A simple technique for sealing molybdenum to Pyrex glass tubing . . . . . M. ASLAM 343

LETTERS TO THE EDITOR

Comments on a new technique for the study of ferromagnetic domain boundaries . . . . . U. ESSMAN and H. TRÄUBLE 344
Correction of response time errors in ratemeters . . . . . C. H. VINCENT 345
On the holography of phase objects. . L. H. TANNER 346

Book reviews 347
Information: Conferences, lectures and exhibitions . . . 351
New publications 350
Miscellaneous 350

PAGE

JUNE 1966

PAPERS

The application of lasers to time-resolved flow visualization . . . . . L. H. TANNER 353
A rotating-field apparatus for determining resistivities of reactive liquid metals and alloys at high temperatures . . . . . M. W. OZELTON and J. R. WILSON 359
An improved small high temperature electric resistance furnace . . . . . G. ARTHUR and J. H. PRIEST 364
The preparation of thin foils for electron microscopy using a controlled low temperature technique . . . . . R. RÄTY, V. LINDROOS, A. SAARINEN, J. FORSTÉN and H. M. MIEKK-OJA 367
Thinning crystals of semiconducting compounds for transmission electron microscopy . . . . . D. B. HOLT, R. PORTER and B. A. UNVALA 371
Control of evaporation of thin metallic and non-metallic layers . . . . . H. H. A. BATH 374
A study of static charge on paper tape for computers . . . . . E. H. LENAERTS 377
Production of radial line gratings using a mechanical–photographic apparatus . . . . . P. H. SYDENHAM and J. F. BRANDWIJK 380
Radioisotopic combined moisture–density meter . . . . . Á. Z. NAGY and T. RÁZGA 383

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

A streak photography technique for randomly occurring events . . . D. C. EMMONY and R. S. STEWART 388
The preparation of a non-rectifying contact to n-type silicon . . . . . P. L. F. HEMMENT 389
Platinum–carbon shadowed replicas . M. D. ROGERS 390
A computer programme for calculating accurate unit cell dimensions for hexagonal and tetragonal crystals . . . . . R. A. FARRAR 392
Improved temperature control with galvanometer controllers . . . . . C. H. L. GOODMAN 393
Angle scanning mounting for a light scattering photometer . . . . . B. W. LANCASTER and W. STRAUSS 395
Lengthened H_{102} cavity for electron spin resonance studies of aqueous samples . . . . . D. RORKE 396
A lowering device for growing single crystals of desired orientation . . . . V. LINDROOS and H. LAINE 398
A simple hysteresis loop plotter using the transverse Kerr effect . . . . . A. GREEN and B. W. J. THOMAS 399
Safety device for x-ray tubes and goniometers. . . . . J. D. LEE and G. OLDHAM 401
Technique for the insertion of electrodes into narrow-bore capillary tubes . . . . . M. PRIEM 402

LETTERS TO THE EDITOR

A single-klystron superheterodyne receiver for use at millimetric wavelengths . . . . . H. A. BUCKMASTER and J. C. DERING; G. BROWN, D. R. MASON and J. S. THORP 404
An adjustable atomizer for atomic absorption spectroscopy . . D. A. DAVIES, R. VENN and J. B. WILLIS 406

Information: Conferences, lectures and exhibitions . . 406, 407
Miscellaneous 406

PAGE

JULY 1966

PAPERS

The measurement of optical flatness . . G. D. Dew 409
Electron optical properties of three-electrode electron lenses . . . . . K. Kanaya, H. Kawakatsu, H. Yamazaki and S. Sibata 416
Reflection scanning electron diffraction with energy filtering . . M. F. Tompsett and C. W. B. Grigson 430
High temperature vaporization studies by mass spectrometry I: The coinage metals—a discussion of the method and errors . . . . . D. F. Avery, J. Cuthbert, N. J. D. Prosser and C. Silk 436
A new instrument for precision cytophotometry . . . . . E. L. Alpen 443
X-ray specimen temperature control with gas streams . . . . . R. A. Young 449
A high-speed analogue-to-digital converter. . . . . E. T. Powner 454
An apparatus for the investigation of pre-breakdown ionization in gases at high voltages, high gas pressures and large electrode separations . . . . . W. E. V. J. Davies, J. Dutton and F. M. Harris 457
A high-pressure absorption cell for obtaining well-resolved infra-red spectra of samples under 50 kb pressures at 90°K . . . . . W. F. Sherman 462
Spectrometer for heteronuclear magnetic double resonance. . . . D. G. Gillies and E. W. Randall 466
Spherical coils for uniform magnetic fields. . . . . J. E. Everett and J. E. Osemeikhian 470

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

Use of etched metal foils for production of positive ions for field ionization mass spectrometry . . . . . C. M. Cross and A. J. B. Robertson 475
An optically contacted permanently adjusted high finesse Fabry–Pérot interferometer . . . . . B. Bates, D. J. Bradley, T. Kohno and H. W. Yates 476
Voltage calibration of a 400 kv Van de Graaff machine . . . . . A. H. Jiggins and J. S. Bevan 478
Method for the determination of the cure shrinkage of epoxy formulations . . . . . R. A. Fischbein 480
Electron microscope sample holder for precision annealing at temperatures up to 3000°C outside the microscope . . . . . G. K. Williamson, G. K. Rickards and R. M. Cornell 481
A working device for the production of large water drops of uniform size . R. H. Magarvey and M. J. Curry 482
A cell for the measurement of reflectance of powders at low temperatures . . . . . D. E. Scaife 484
A pneumatic device for scanning control of a microscope slide . . . . . L. W. Phipps 485
A small sample cell for spectroscopic investigations over a wide temperature range . . . . B. A. Morrow 487
A current regulator for glow discharge electrolysis . . . . . K. O. Hough and A. R. Denaro 488

LETTERS TO THE EDITOR

Automatic frequency control of a pulsed klystron in an electron spin resonance relaxation spectrometer . . . . . J. M. S. Hutchison 491

Editorial announcement 492
Book reviews 493
Information: Conferences, lectures and exhibitions . . . 495
Miscellaneous 494

PAGE

AUGUST 1966

THE PHYSICS EXHIBITION 497–547

See page 497 for Contents

PAPERS

Electron nuclear double resonance at 35000 Mc/s. . . . . R. J. Cook 548
The application of phase-lock microwave frequency stabilizers to electron paramagnetic resonance spectrometers . . H. A. Buckmaster and J. C. Dering 554
Application of the torsion technique for the measurement of vapour pressures in the temperature range 1500–2500°C . . . . . M. Peleg and C. B. Alcock 558
Some calculations on the pumping of trapped volumes . . . . . J. D. Lawson 565
A miniature pressure transducer. . . . . B. M. Massey and I. Kavrak 569
Microwave interference method of measuring shock velocity in a shock tube . T. O. Aro and D. Walsh 572
A Mueller bridge set for cryogenic temperature measurements. . . . . J. M. Diamond 576
Measurement of magnetic fields at liquid helium temperatures . . . . . D. A. Hill and C. Hwang 581
A dynamic moiré fringe interpolator . . . . . A. H. McIlraith and A. D. L. Scott 585
An inexpensive solar pointing control . . . . . D. Dibble and C. R. Nagaraja Rao 588
The Cartesian diver for microdetermination of magnetic susceptibilities . . . . . K. Gersonde 591
An apparatus to measure the thermal diffusivity of irradiated fuel specimens at temperatures up to 1200°C by the flash method. . . D. Shaw and L. A. Goldsmith 594
An automatic line centring device for direct-reading emission spectrometers. . . . H. van der Piepen, W. W. Schroeder and P. P. J. Jacobs 597
A double-beam reflectance attachment for the Unicam SP 800 ultra-violet and visible spectrophotometers . . . . . P. Broadhead and W. C. Clark 599

NOTES ON EXPERIMENTAL TECHNIQUE AND APPARATUS

The recording of spectra with an Instamatic camera . . . . . G. C. Terry and F. W. Willets 60
A simple method for semi-stabilized emission current control . . . . . J. J. Becker and J. Prichard 60
Modifications to a Stanton thermorecording balance for the study of the corrosion of steels in a gas atmosphere . . . . . W. W. Hann and D. V. Hinds 60
A shock tube gate valve . . . . . W. W. Hann 60
Interchangeable manual and electromagnetic operation of greaseless vacuum stopcocks . . . . D. Verdin 60
A field ion microscope for operation at 4·2°K. . . . . M. J. Attardo, J. M. Galligan and J. Sadofsky 60
Improved construction of resistance thermometer spear . . . . . H. Bruce 60
A jet etching preparation technique for the transmission electron microscope examination of surface layers on silicon . . . . D. J. Keast and A. D. Wilson 60
Langmuir probe analysis in a positive column containing moving striations . G. A. Woolsey and E. W. Gray 61
A method of applying fine grids to metal surfaces for moiré microstrain studies . . . . . J. L. McCall and J. E. Boyd 61
Digital integration and recording of low frequency signals . . . . . A. de Sa 61

Information: Conferences, lectures and exhibitions . . . 61
Corrigendum: A method of producing an unmodulated laser output at a controlled frequency . . D. C. Wilson and W. R. C. Rowley 61